

### FuJian HJ quality inspection technical service co., LTD

# **Test Report**

Report No.: FJHJ210717356 Date:Jul.19,2021 Page 1 of 4

Applicant Information: Applicant: Quanzhou Tianqin Bags CO., LTD

Address: No. 950, Xunjiang Road, Xunmei Industrial, Zone, Fengze District

Quanzhou City, Fujian Province

Sample Information

Sample information Sample Name: TINYAT Heavy Duty Transparent Clear Backpack See Trough Clear

provided by the applicant: Bag for college, Concerts, Sports, Travel and Daily use (Tran sparent /9051)

Sample Received Date: Jul.17, 2021

Test Period: Jul.17, 2021 to Jul.19, 2021

#### **Summary of Test Results**

Test Requested:	Conclusion
1. As specified by client, to determine the Lead(Pb)content in the submitted sample.	Pass
2. As specified by client, to determine the Cadmium(Cd) content in the submitted sample .	Pass
3.As specified by client, to determine the Phthalates content in the submitted sample(s).	Pass

\*\*\*\*\*\*

Edited by:

Lin Xiaoqing(Grace)

Reviewed by:

Approved by:

水河

Wang Huilin(Linda)

Wang Huilin(Linda)

The FJHJ stamp of this report takes effect, and this report cannot be deleted. This report is only responsible for the test results of the samples submitted for inspection. It is for internal reference only and is not used as a proof of domestic social justice. Without the written authorization of the company, this report is not allowed to be partially copied or used as promotional materials.

3/F,Xingye Building ,Tongyuan Street,Fengze District,Quanzhou,Fujian ,China 36201 Tel: (86-595)22690022 Fax: (86-595)22690033 http://www.fjhjzj.com



### FuJian HJ quality inspection technical service co., LTD

### **Test Report**

Report No.: FJHJ210717356 Date:Jul.19,2021 Page 2 of 4

### **Test Result(s):**

#### 1. Phthalates Content:

Test Method: With reference to CPSC-CH-C1001-09.3 ,analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

rometer (GC 1415).					12	
Test Item	CAS NO	Unit	MDL ug/ml	Result C(mg/kg)	Client's Limit	Judge
DBP	84-74-2	mg/kg	0.05	N.D.	1000	A A A B In this
BBP	85-68-7	mg/kg	0.05	N.D.	1000	v
DEHP	117-81-7	mg/kg	0.05	N.D.	1000	
DnHP	84-75-3	mg/kg	A THE	N.D.	1000	
DIDP	26761-40-0 68515-49-1	mg/kg	3.0	N.D.	1000	Pass
DnPP	131-18-0	mg/kg	_	N.D.	1000	
DCHP	84-61-7	mg/kg		N.D.	1000	
DIBP	84-69-5	mg/kg	0.05	N.D.	1000	

#### 2.The Lead content:

Test Method:Refer to CPSC-CH-E1002-08.3, analysis was performed by Inductively Coupled Plasma optical emission spectroscopy(ICP-OES).

Test Item	Unit	MDL		Result		Client's	Indao
Test Item	Ont	MDL	A	В	C	Limit	Judge
Lead(Pb)	mg/kg	5	N.D.	N.D.	N.D.	100	Pass

T4 I4	¥124	MDI	Re	sult	Client's	T-J-E
Test Item	Unit	MDL	Dite	Е	Limit	Judge
Lead(Pb)	mg/kg	5	N.D.	N.D.	100	Pass

The FJHJ stamp of this report takes effect, and this report cannot be deleted. This report is only responsible for the test results of the samples submitted for inspection. It is for internal reference only and is not used as a proof of domestic social justice. Without the written authorization of the company, this report is not allowed to be partially copied or used as promotional materials.

3/F,Xingye Building ,Tongyuan Street,Fengze District,Quanzhou,Fujian ,China 36201 Tel: (86-595)22690022 Fax: (86-595)22690033 http://www.fjhjzj.com



# **Test Report**

Report No.: FJHJ210717356 Date:Jul.19,2021 Page 3 of 4

#### 3.The Cadmium content:

Test Method:Refer to EN 1122:2001, analysis was performed by Inductively Coupled Plasma optical emission spectroscopy(ICP-OES).

Test Item	Unit	MDL	N. C.	Result	及機構	Client's	Judge
rest item	N. A. S.	MIDL	A	В	C	Limit	Judge
Cadmium(Cd)	mg/kg	5	N.D.	N.D.	N.D.	100	Pass

Test Item	Unit	MDL	Re	sult	Client's	Indao
Test Item	OIII	MIDL	D	E	Limit	Judge
Cadmium(Cd)	mg/kg	5	N.D.	N.D.	100	Pass

#### Note:

- 1. mg/kg=milligram per kilogram.
- 2. MDL=Method Detection Limit.
- 3. N.D.= Not Detected(<MDL).

The FJHJ stamp of this report takes effect, and this report cannot be deleted. This report is only responsible for the test results of the samples submitted for inspection. It is for internal reference only and is not used as a proof of domestic social justice. Without the written authorization of the company, this report is not allowed to be partially copied or used as promotional materials.

3/F,Xingye Building ,Tongyuan Street,Fengze District,Quanzhou,Fujian ,China 36201 Tel: (86-595)22690022 Fax: (86-595)22690033 http://www.fjhjzj.com



### FuJian HJ quality inspection technical service co., LTD

# **Test Report**

Report No.: FJHJ210717356 Date:Jul.19,2021 Page 4 of 4

### The Photo(s) of Sample(s)



\*\*\* Only responsible for the submitted samples \*\*\*

#### **Sample Description List:**

			KAN TO THE REAL PROPERTY OF THE PARTY OF THE	<del>- 1</del>	_	
Sample Description	( )		sparent Clear Back ts, Travel and Dail	ik.		in the
	~			`		
Sample A Color		***	Transparent PV	C	<b>大型排</b>	
Sample B Color	N. FEE	W. Control of the Con	Reb (black)	<i>A</i>	*	N. T. S.
Sample C Color			net (black)	操機構	4	
Sample D Color	N. T.		Zipper teeth (blac	k)	N	× .
Sample E Color	<b>P</b>	), <sub>18</sub> ,	Webbing (black	)	A. Halling	
Number of samples	R	A STATE OF THE STA	5			

\*\*\*End of Report\*\*\*

The FJHJ stamp of this report takes effect, and this report cannot be deleted. This report is only responsible for the test results of the samples submitted for inspection. It is for internal reference only and is not used as a proof of domestic social justice. Without the written authorization of the company, this report is not allowed to be partially copied or used as promotional materials.

3/F,Xingye Building ,Tongyuan Street,Fengze District,Quanzhou,Fujian ,China 362011 Tel: (86-595)22690022 Fax: (86-595)22690033 http://www.fjhjzj.com