

Test Report

Applicant: QUANZHOU JUNYUAN COMMERCIAL AND TRADING CO,LTD

Address: 3F,BOYA BUILDING,NANPU INDUSTRIAL, FENG ZE AREA,

QUANZHOU,FUJIAN,362000.CHINA

Sample Information

Tool Bag, Sneaker Bag, Travel Bag, Golf Bag, Picnic Bag, Pet Bag, Diaper Bag,

Sample Name:

Cooler Bag

Trade Mark: N/A

Labeled Age Grading: 3+

Requested Age Grading: 3+

Age Group Applied in Testing: 3+

Sample Received Date: Feb.16,2022

Test Period: Feb.16,2022 to Feb.21,2022

Summary of Test Results

Test Request:	NA PER STATE OF THE STATE OF T	10000000000000000000000000000000000000			Conclusio	n
1.In accordance with the related testing:	the requirements	of Europe toy safety	Directive 2009/48/E	C to perform	-	被抗性
a.EN71-1:2014+A1:2	018- Mechanical	and Physical Proper	rties		PASS	***
b.EN 71-2:2020 – Fla	mmability			N. C.	PASS	
c.EN 71-3:2019 – Mig	gration of Certain	Elements	A STATE OF THE STA		PASS	

Fu jian H J quality Inspection technical service co.,LTD

Authorized signatory

Jay Zhao/Lab Manager

3/F,Xingye Building ,Tong Yuen Street,Fengze District,Quanzhou,Fujian ,China 362011 Tel: (86-595)22690022 Fax: (86-595)22690033 http://www.fjhjzj.com



Test Report

Report No.: FJHJ004160222 Date: Feb.21, 2022 Page 2 of 8

Test Result(s):

1(a).EN71-1:2014+A1:2018- Mechanical and Physical Properties:

Section	Description	Result
4	General requirement	A JE
4.1	Material cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA.
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA ¶
4.13	Cord of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys using percussion caps	NA (
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnet	KA KELIY
4.24	Yo-yo balsl	NA
4.25	Toys attached to food	NA
5	FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General requirements	NA
5.1a	Small parts requirement on toys & removable Components(Test method 8.2)	NA
N. W.	Torque test (Test method 8.3)	NA
	Tension test (Test method 8.4)	NA
5.1b	Drop test (Test method 8.5)	NA
	Tip over test (Test method 8.6)	NA
N. A. S.	Impact test (Test method 8.7)	NA
£ 11.	Compression test (Test method 8.8)	NA
5.1b	Sharp edge (Test method 8.11)	NA



Test Report

Report No.: FJHJ004160222 Date: Feb.21, 2022 Page 3 of 8

		A File
,	Sharp point (Test method 8.12)	NA
	Flexure Test(Test method 8.13)	NA
or killing	Tension test for magnet (Test method 8.34)	NA
5.1c	Potential hazardous metal points and wires with a cross section of 2mm or less	NA
5.1d	Large and bulky toys	NA
5.1e	Glued wooden toys and toys with glued on plastic decals	NA
5.1f	The casing of toys intended for children too young to sit up unaided	NA
5.1g	Foam toys and toys containing accessible foam components	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA.
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
***	6. PACKAGING	NA
	7.WARNINGS, MARKINGS AND INSTRUCTIONS FOR USE	
7	CE Mark	NR (
7	Manufacturer name and address	NR
7	Importer name and address	NR
7	Product Identification	NR
7.1	General	NR
7.2	Toys not intended for children under 36 months	NR
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA



Test Report

V. 1839		
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising mono filament fibers	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA »
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
8	Test methods	NA
8.2	Small parts cylinder	NA
8.3	Torque test	PASS
8.4	Tension test	PASS
8.5	Drop test	PASS
8.9	Soaking test	NA
8.10	Accessibility of a part or component	PASS
8.11	Sharpness of edges	PASS
8.12	Sharpness of points	PASS
8.16	Geometric shape of certain toys	NA

Note:

- 1. NA=Not Applicable;
- 2. NR=Not Requested

1(b).EN 71-2:2020 – Flammability of Toys:

	Section	Description	The State of the S	Result
	4	Requirements		
	4.1	General requirements	1	Pass
	4.2	Toys to be worn on the head	S	NA
A TOP	4.3	Toy disguise costumes and toys intended to be worn by a child in play		NA
	4.4	Toys intended to be entered by a child		NA
	4.5	Soft filled toys		NA

Note:

- 1.NA=Not Applicable
- 2.In accordance with the EN71-2, the burning rate should not be greater than 30mm per second.



Test Report

Report No.: FJHJ004160222 Date: Feb.21, 2022 Page 5 of 8

1(c).EN71 Part 3:2013 – Migration of Certain Elements:

Test Method: With reference to EN 71-3:2019. Analysis was performed by instruments.

N. S.	W.	No.	Result		
Tested Item(s)	Unit	MDL	Å	Limit	Judge
Aluminium (Al) (M)	mg/kg	5	N.D.	<i></i>	· · · · · · · · · · · · · · · · · · ·
Antimony (Sb) (M)	mg/kg	0.02	N.D.	技術的	A STATE OF THE STA
Arsenic (As) (M)	mg/kg	0.02	N.D.		W. W
Barium (Ba) (M)	mg/kg	5	N.D.		
Boron (B) (M)	mg/kg	5	N.D.	***	No.
Cadmium (Cd) (M)	mg/kg	0.05	N.D.	发展推荐	
Chromium III (Cr(III)) (M)	mg/kg	0.05	N.D.	**	W. Haller
Chromium VI (Cr(VI)) (M)	mg/kg	0.02	N.D.		N. Francisco
Cobalt (Co) (M)	mg/kg	0.02	N.D.	W.	,
Copper (Cu) (M)	mg/kg	5	N.D.		
Lead (Pb) (M)	mg/kg	0.05	N.D.	A. A	N. R. Hills
Manganese (Mn) (M)	mg/kg	5	N.D.	See Remark A	
Mercury (Hg) (M)	mg/kg	0.02	N.D.	(Category III)	Pass
Nickel (Ni) (M)	mg/kg	0.05	N.D.		
Selenium (Se) (M)	mg/kg	0.2	N.D.	W. Faller	**
Strontium (Sr) (M)	mg/kg	5 N. 18 18 18 18 18 18 18 18 18 18 18 18 18	N.D.		~
Tin (Sn) (M)	mg/kg	5	N.D.		对
Organic Tin (M)	mg/kg	0.1	N.D.		
Zinc (Zn) (M)	mg/kg	5	N.D.	以	



Test Report

Remark A:Permissible Limit for Different Materials (Unit: mg/kg)

Kemark A.Fermissione Limit	101 Different Materials (Onit	i. mg/kg)	
	Category III In	Category II In liquid	Category I In dry, brittle, powder-like or pliable toy
Item(s)	scraped-off toy material	or sticky toy material	material
Aluminium (Al) (M)	28130	560	2250
Antimony (Sb) (M)	560	11.3	45
Arsenic (As) (M)	47	0.9	3.8
Barium (Ba) (M)	18750	375	1500
Boron (B) (M)	15000	300	1200
Cadmium (Cd) (M)	17	0.3	1.3
Chromium III (Cr(III)) (M)	460	9.4	37.5
Chromium VI (Cr(VI)) (M)	0.053	0.005	0.02
Cobalt (Co) (M)	130	2.6	10.5
Copper (Cu) (M))	7700	156	622.5
Lead (Pb) (M)	23	0.5	2
Manganese (Mn) (M)	15000	300	1200
Mercury (Hg) (M)	94	1.9	7.5
Nickel (Ni) (M)	930	18.8	75
Selenium (Se) (M)	460	9.4	37.5
Strontium (Sr) (M)	56000	1125	4500
Tin (Sn) (M)	180000	3750	15000
Organic Tin(M)	12	0.2	0.9
Zinc (Zn) (M)	46000	938	3750
	The state of the s		·

Note:

- 1. mg/kg=milligram per kilogram.
- 2. MDL=Method Detection Limit.
- 3. N.D.= Not Detected(<MDL).



Test Report

The Photo(s) of Sample(s)



Reference Photo(s)





Test Report







*** Only responsible for the submitted samples ***

Sample Description List:

No.	**	Sample Description	
A	N. F. British	Black main fabric	· · · · · · · · · · · · · · · · · · ·

End of Report

This report is considered invalidated without the Special Seal for Inspection of the FJHJ. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of FJHJ, this report shall not be copied except in full and published as advertisement.